



SOUTHEAST GAP ANALYSIS PROJECT



Species Modeling Report

Gadwall

Anas strepera

Taxa: Avian

Order: Anseriformes


Family: Anatidae

SE-GAP Spp Code: **bGADW**


ITIS Species Code: 175073

NatureServe Element Code: ABNJB10160

KNOWN RANGE:



PREDICTED HABITAT:



Range Map Link: http://www.basic.ncsu.edu/segap/datazip/maps/SE_Range_bGADW.pdf

Predicted Habitat Map Link: http://www.basic.ncsu.edu/segap/datazip/maps/SE_Dist_bGADW.pdf

GAP Online Tool Link: <http://www.gapservice.ncsu.edu/segap/segap/index2.php?species=bGADW>

Data Download: http://www.basic.ncsu.edu/segap/datazip/region/vert/bGADW_se00.zip

PROTECTION STATUS:

Reported on March 14, 2011

Federal Status: ---

State Status: AL (GB), AL (GB), ID (G), KY (N), NV (YES), NY (PB - GS), OH (SI), RI (Concern), UT (None), BC (4 (2005)), QC (Non suivie)

NS Global Rank: G5

NS State Rank: AK (S4B), AL (S5N), AL (S5N), AR (S4N), AZ (S5), CA (SNRB,SNRN), CO (S5B), CO (S5B), CT (S2B,S4N), DC (SNA), DE (S3B,S4N), FL (SNRN), GA (S4), IA (S4N), IA (S4N), ID (S5B,S3N), IL (SNA), IN (SNA), KS (S2B,S5N), KY (S4N), LA (S5N), MA (S2B,S4M), MD (S2B,S4N), ME (S1?B), MI (SNRN), MN (SNRB), MN (SNRB), MO (SNRN,SNRM), MO (SNRN,SNRM), MS (S4N), MT (S5B), MT (S5B), NC (S2B,S4N), ND (SNRB), NE (S4), NH (SNA), NJ (S5), NM (S4B,S5N), NV (S4B,S5N), NY (S3), OH (SNA), OK (S5N), OR (S5), PA (S3N), PA (S3N), RI (S1B), SC (SNRN), SC (SNRN), SD (S5B), SD (S5B), TN (S4N), TX (S3B,S5N), UT (S4S5B,S4N), VA (S2B,S4N), VT (S1B,S3N), WA (S4N,S5B), WI (S3B), WI (S3B), WV (S2N), WY (S4N,S5B), AB (S5), BC (S5B), LB (SNA), MB (S5B), MB (S5B), NB (S2B), NF (SNA), NS (S2B), ON (S4), ON (S4), PE (S5B), QC (S5B), SK (S5B,S5M,S2N), YT (S4B)

SUMMARY OF PREDICTED HABITAT BY MANAGMENT AND GAP PROTECTION STATUS:

	US FWS		US Forest Service		Tenn. Valley Author.		US DOD/ACOE	
	ha	%	ha	%	ha	%	ha	%
Status 1	12,353.0	5	0.0	0	0.0	0	0.0	0
Status 2	7,029.9	3	33.4	< 1	0.0	0	44.3	< 1
Status 3	191.1	< 1	286.8	< 1	27.0	< 1	5,137.5	2
Status 4	1.6	< 1	0.0	0	0.0	0	11.1	< 1
Total	19,575.5	8	320.2	< 1	27.0	< 1	5,192.8	2
	US Dept. of Energy		US Nat. Park Service		NOAA		Other Federal Lands	
	ha	%	ha	%	ha	%	ha	%
Status 1	0.0	0	52.8	< 1	352.1	< 1	0.0	0
Status 2	0.0	0	7,979.0	3	5,731.4	2	2.5	< 1
Status 3	0.0	0	932.1	< 1	0.0	0	5.7	< 1
Status 4	0.0	0	3.0	0	0.0	0	0.0	0
Total	0.0	0	8,967.1	4	6,083.5	2	8.2	< 1
	Native Am. Reserv.		State Park/Hist. Park		State WMA/Gameland		State Forest	
	ha	%	ha	%	ha	%	ha	%
Status 1	0.0	0	2.2	< 1	0.0	0	0.0	0
Status 2	0.0	0	40.1	< 1	14,321.1	6	0.0	0
Status 3	0.0	0	5,921.0	2	2,346.0	< 1	317.6	< 1
Status 4	0.0	0	0.0	0	194.0	< 1	0.0	0
Total	0.0	0	5,963.2	2	16,861.1	7	317.6	< 1
	State Coastal Reserve		ST Nat.Area/Preserve		Other State Lands		Private Cons. Easemt.	
	ha	%	ha	%	ha	%	ha	%
Status 1	0.0	0	177.4	< 1	0.0	0	0.0	0
Status 2	8,793.3	4	4,896.7	2	0.0	0	0.7	< 1
Status 3	0.0	0	177.1	< 1	51.2	< 1	188.6	< 1
Status 4	0.0	0	0.0	0	0.3	< 1	0.0	0
Total	8,793.3	4	5,251.2	2	51.5	< 1	189.3	< 1
	Private Land - No Res.		Water		Overall Total			
	ha	%	ha	%	ha	%		
Status 1	0.0	0	0.0	0	12,937.5	5		
Status 2	0.6	< 1	0.0	7	48,873.2	20		
Status 3	72.8	< 1	< 0.1	< 1	15,654.6	6		
Status 4	162,036.1	65	10,273.3	4	172,711.9	69		
Total	162,109.6	65	10,273.6	4	250,177.1	100		

GAP Status 1: An area having permanent protection from conversion of natural land cover and a mandated management plan in operation to maintain a natural state within which disturbance events (of natural type, frequency, and intensity) are allowed to proceed without interference or are mimicked through management.

GAP Status 2: An area having permanent protection from conversion of natural land cover and a mandated management plan in operation to maintain a primarily natural state, but which may receive use or management practices that degrade the quality of existing natural communities.

GAP Status 3: An area having permanent protection from conversion of natural land cover for the majority of the area, but subject to extractive uses of either a broad, low-intensity type or localized intense type. It also confers protection to federally listed endangered and threatened species throughout the area.

GAP Status 4: Lack of irrevocable easement or mandate to prevent conversion of natural habitat types to anthropogenic habitat types. Allows for intensive use throughout the tract. Also includes those tracts for which the existence of such restrictions or sufficient information to establish a higher status is unknown.

PREDICTED HABITAT MODEL(S):

Winter Model:

Habitat Description: A wintering resident of the Southeast, gadwalls inhabit medium to large-sized permanent or semi-permanent wetlands, expanses of open waters with abundant vegetations, riverine habitats, farm ponds, and scrub-shrub environments (Ringelman 1990, Leschack et al. 1997). They seem to be found in greater numbers on fresh, intermediate, and brackish marshes as well as tidal impoundments (Ringelman 1990). Amy Silvano 05Sept05

Ecosystem classifiers: Open water, Coastal, Brackish & freshwater wetlands, lakes/Ponds/Rivers, Floodplain/Riparian (Herb mods only). Amy silvano 05sept05

Hydrography Mask:

Utilizes flowing water features with buffers of 30m from and 120m into selected water features.

Utilizes open water features with buffers of 30m from and 120m into selected water features.

Selected Map Units:

Functional Group	Map Unit Name
Brackish Tidal Marsh & Wetland	Atlantic Coastal Plain Central Salt and Brackish Tidal Marsh
Brackish Tidal Marsh & Wetland	Atlantic Coastal Plain Embayed Region Tidal Salt and Brackish Marsh
Brackish Tidal Marsh & Wetland	Atlantic Coastal Plain Indian River Lagoon Tidal Marsh
Brackish Tidal Marsh & Wetland	Atlantic Coastal Plain Northern Sea-Level Fen
Brackish Tidal Marsh & Wetland	Atlantic Coastal Plain Northern Tidal Salt Marsh
Brackish Tidal Marsh & Wetland	Atlantic Coastal Plain Northern Tidal Wooded Swamp
Brackish Tidal Marsh & Wetland	Atlantic Coastal Plain Southern Tidal Wooded Swamp
Brackish Tidal Marsh & Wetland	East Gulf Coastal Plain Tidal Wooded Swamp
Brackish Tidal Marsh & Wetland	Florida Big Bend Salt-Brackish Tidal Marsh
Brackish Tidal Marsh & Wetland	Mississippi Sound Salt and Brackish Tidal Marsh
Brackish Tidal Marsh & Wetland	South Florida Everglades Sawgrass Marsh
Brackish Tidal Marsh & Wetland	South Florida Mangrove Swamp
Brackish Tidal Marsh & Wetland	Southwest Florida Perched Barriers Salt Swamp and Lagoon - Mangrove Modifier
Brackish Tidal Marsh & Wetland	Southwest Florida Perched Barriers Salt Swamp and Lagoon - Marsh Modifier
Coastal Dune & Freshwater Wetland	Atlantic and Gulf Coastal Plain Interdunal Wetland
Freshwater Tidal Marsh & Wetland	Atlantic Coastal Plain Central Fresh-Oligohaline Tidal Marsh
Freshwater Tidal Marsh & Wetland	Atlantic Coastal Plain Embayed Region Tidal Freshwater Marsh
Freshwater Tidal Marsh & Wetland	Atlantic Coastal Plain Northern Fresh and Oligohaline Tidal Marsh
Freshwater Tidal Marsh & Wetland	Florida Big Bend Fresh-Oligohaline Tidal Marsh
Water	Open Water (Brackish/Salt)
Water	Open Water (Fresh)
Wetlands	Atlantic Coastal Plain Blackwater Stream Floodplain Forest - Herbaceous Modifier
Wetlands	Atlantic Coastal Plain Depression Pondshore
Wetlands	Atlantic Coastal Plain Large Natural Lakeshore
Wetlands	Atlantic Coastal Plain Northern Pondshore
Wetlands	Atlantic Coastal Plain Xeric River Dune
Wetlands	Central Appalachian Floodplain - Herbaceous Modifier
Wetlands	Central Appalachian Riparian - Herbaceous Modifier
Wetlands	Central Florida Herbaceous Pondshore
Wetlands	East Gulf Coastal Plain Large River Floodplain Forest - Herbaceous Modifier
Wetlands	East Gulf Coastal Plain Northern Depression Pondshore
Wetlands	East Gulf Coastal Plain Southern Depression Pondshore
Wetlands	South-Central Interior Large Floodplain - Herbaceous Modifier
Wetlands	Southern Coastal Plain Spring-run Stream Aquatic Vegetation
Wetlands	Southern Piedmont Large Floodplain Forest - Herbaceous Modifier

CITATIONS: American Ornithologists' Union (AOU), Committee on Classification and Nomenclature. 1983. Check-list of North American Birds. Sixth Edition. American Ornithologists' Union, Allen Press, Inc., Lawrence, Kansas.

- Barker, W. T., et al. 1990. Effects of specialized grazing systems on waterfowl production in southcentral North Dakota. *Trans. 55th North American Wildl. & Nat. Res. Conf.*, pp. 462-474.
- Bellrose, F.C. 1976. *Ducks, geese and swans of North America*. Stackpole Books, Harrisburg, Pa.
- Droege, S., and J.R. Sauer. 1990. North American Breeding Bird Survey, annual summary, 1989. U.S. Fish and Wildlife Service, Biological Report 90(8). 22 pp.
- Fussell, J.O. III. 1994. *A birder's guide to coastal North Carolina*. Chapel Hill and London: The University of North Carolina Press.
- Harrison, C. 1978. *A field guide to the nests, eggs and nestlings of North American birds*. Collins, Cleveland, Ohio.
- Harrison, H.H. 1975. *A field guide to bird's nests in the U.S. east of the Mississippi River*. Houghton Mifflin Company, Boston, Massachusetts. 257 p.
- LeShack, C.R., S.K. McKnight, and G.R. Hepp. 1997. Gadwall (*Anas strepera*). In *The Birds of North America*, No.283 (A. Poole and F. Gill, eds.). The Birds of North America, Inc., Philadelphia, PA.
- Livezey, B. C. 1991. A phylogenetic analysis and classification of recent dabbling ducks (tribe Anatini) based on comparative morphology. *Auk* 108:471-507.
- Marcy, L. E. 1986. Waterfowl nest baskets. Section 5.1.3, US Army Corps of Engineers Wildlife Resources Management Manual. Tech. Rep. EL-86-15. Waterways Expt. Station, Vicksburg, Mississippi. 16 pp.
- Pearson, T.G. 1959. *Birds of North Carolina*. Raleigh, NC: Bynum Printing Company.
- Potter, E. F., J. F. Parnell, and R. P. Teulings. 1980. *Birds of the Carolinas*. Univ. North Carolina Press, Chapel Hill. 408 pp.
- Ringelman, J. K. 1990. Life history traits and management of the gadwall. U.S. Fish & Wildl. Serv., Fish and Wildlife Leaflet 13.1.2. 6 pp.
- Root, T. 1988. *Atlas of wintering North American birds: An analysis of Christmas Bird Count data*. University of Chicago Press. 336 pp.
- Simpson MB Jr. 1992. *Birds of the Blue Ridge Mountains*. Chapel Hill and London: University of North Carolina Press.
- Szymczak, M. R., and E. A. Rexstad. 1991. Harvest distribution and survival of a gadwall population. *J. Wildl. Manage.* 55:592-600.
- Terres, J.K. 1980. *The Audubon Society encyclopedia of North American birds*. Alfred A. Knopf, New York.

For more information:: SE-GAP Analysis Project / BaSIC
 127 David Clark Labs
 Dept. of Biology, NCSU
 Raleigh, NC 27695-7617
 (919) 513-2853
www.basic.ncsu.edu/segap

Compiled: 15 September 2011

This data was compiled and/or developed by the Southeast GAP Analysis Project at The Biodiversity and Spatial Information Center, North Carolina State University.