





Species Modeling Report

Gray Treefrog

Hyla versicolor

Taxa: Amphibian Order: Anura Family: Hylidae


SE-GAP Spp Code: aGATR ITIS Species Code: 173503

NatureServe Element Code: AAABC02130

KNOWN RANGE:

Gray Treefrog Hyla versicoloi

PREDICTED HABITAT:



http://www.basic.ncsu.edu/segap/datazip/maps/SE_Range_aGATR.pdf Range Map Link: Predicted Habitat Map Link: http://www.basic.ncsu.edu/segap/datazip/maps/SE_Dist_aGATR.pdf

GAP Online Tool Link: http://www.gapserve.ncsu.edu/segap/segap/index2.php?species=aGATR Data Download: http://www.basic.ncsu.edu/segap/datazip/region/vert/aGATR_se00.zip

PROTECTION STATUS:

Reported on March 14, 2011

Federal Status: ---

State Status: KY (S), MS (Non-game species in need of management), NC (SR), NJ (S), NY (GS), RI (Not Listed), QC (Non suivie)

NS Global Rank: G5

NS State Rank: AR (S4), CT (S5), DC (S4), DE (S4), GA (S5), IA (S4), IL (S4), IN (S4), KS (S4), KY (S2S3), LA (S4), MA (S5), MD (S5), ME (S4), MI (S5), MN (SNR), MO (S5), MS (SNR), NC (S1?), ND (S4), NH (S5), NJ (S5), NY (S5), OH (SNR), OK (S4?), PA (S4), RI (S5), SC (SNR), SD (S2), TN (S5), TX (S5), VA (S5), VT (S5), WI (S5), WV (S5), MB (S4S5), NB (S3), ON (S5), QC (S4), SK (SNA)

aGATR Page 1 of 5

SUMMARY OF PREDICTED HABITAT BY MANAGMENT AND GAP PROTECTION STATUS:

	US FWS		US Forest Service		Tenn. Valley A	Author.	US DOD/ACOE	
	ha	%	ha	%	ha	%	ha	%
Status 1	551.0	< 1	124.3	< 1	0.0	0	0.0	0
Status 2	639.0	< 1	15,269.7	< 1	0.0	0	2,826.1	< 1
Status 3	245.3	< 1	61,686.5	3	0.0	0	34,600.2	1
Status 4	17.6	< 1	0.0	0	0.0	0	29.1	< 1
Total	1,453.0	<1	77,080.5	3	0.0	0	37,455.4	2
1	US Dept. of Energy		US Nat. Park Service		NOAA		Other Federal Lands	
	ha	%	ha	%	ha	%	ha	%
Status 1	0.0	0	5,964.2	< 1	0.0	0	0.0	0
Status 2	0.0	0	0.0	0	0.0	0	0.0	0
Status 3	0.0	0	11,935.2	< 1	0.0	0	0.0	0
Status 4	0.0	0	0.0	0	0.0	0	0.0	0
Total	0.0	0	17,899.4	< 1	0.0	0	0.0	0
	Native Am. Reserv.		State Park/Hist. Park		State WMA/Gameland		State Forest	
	ha	%	ha	%	ha	%	ha	%
Status 1	0.0	0	0.0	0	0.0	0	0.0	0
Status 2	0.0	0	0.0	0	9,571.9	< 1	62.3	< 1
Status 3	0.0	0	7,109.6	< 1	955.6	< 1	8,378.4	< 1
Status 4	0.0	0	0.0	0	741.3	< 1	0.0	0
Total	0.0	0	7,109.6	< 1	11,268.8	< 1	8,440.7	< 1
1	State Coastal Reserve		ST Nat.Area/Preserve		Other State Lands		Private Cons. Easemt.	
	ha	%	ha	%	ha	%	ha	%
Status 1	0.0	0	0.0	0	0.0	0	0.0	0
Status 2	0.0	0	4,254.1	< 1	0.0	0	0.0	0
Status 3	0.0	0	0.0	0	0.0	0	1,482.3	< 1
Status 4	0.0	0	0.0	0	123.7	< 1	0.0	0
Total	0.0	0	4,254.1	< 1	123.7	< 1	1,482.3	< 1
	Private Land - I	No Res.		Water			Overa	ıll Total
	ha	%	ha	%			ha	%
Status 1	0.0	0	0.0	0			6,639.5	< 1
Status 2	0.0	0	0.0	0			32,623.0	1
Status 3	0.0	0	0.0	0			126,393.2	8
Status 4	2,191,974.1	91	344.4	< 1			2,193,953.9	91
Total	2,191,974.1	91	344.4	< 1			2,359,609.7	100

GAP Status 1: An area having permanent protection from conversion of natural land cover and a mandated management plan in operation to maintain a natural state within which disturbance events (of natural type, frequency, and intensity) are allowed to proceed without interference or are mimicked through management.

GAP Status 2: An area having permanent protection from conversion of natural land cover and a mandated management plan in operation to maintain a primarily natural state, but which may receive use or management practices that degrade the quality of existing natural communities.

GAP Status 3: An area having permanent protection from conversion of natural land cover for the majority of the area, but subject to extractive uses of either a broad, low-intensity type or localized intense type. It also confers protection to federally listed endangered and threatened species throughout the area.

GAP Status 4: Lack of irrevocable easement or mandate to prevent conversion of natural habitat types to anthropogenic habitat types. Allows for intensive use throughout the tract. Also includes those tracts for which the existence of such restrictions or sufficient information to establish a higher status is unknown.

aGATR Page 2 of 5

PREDICTED HABITAT MODEL(S):

Year-round Model:

Habitat Description:

Gray Treefrogs are ephemeral species which inhabit various wooded and forested environments. This species is typically associated with black willow, sweet gum-willow oak, white oak-red oak-black oak and mixed pine-hardwood (Wilson 1995) and is commonly found in disturbed areas.(ALS Jan 04)

Ecosystem Classifiers: Hardwood Forest/Woodland (excluding xeric), Mixed Forest, All Mesic Forests including maritime and some montane, Wetlands (Including Lakes/Rivers/Pondshore- emergent vegetation which was eliminated for Cope's gray treefrog). ALS Jan 04

Hydrography Mask:

Freshwater Only

Slow Current Only

Utilizes flowing water features with buffer of 250m from selected water features.

Utilizes open water features with buffers of 250m from and 30m into selected water features.

Utilizes wet vegetation features with buffers of 250m from and unlimited into selected vegetation features.

Functional Group	Map Unit Name				
Anthropogenic	Developed Open Space				
Anthropogenic	Low Intensity Developed				
Anthropogenic	Medium Intensity Developed				
Anthropogenic	Successional Shrub/Scrub (Clear Cut)				
Anthropogenic	Successional Shrub/Scrub (Other)				
Anthropogenic	Successional Shrub/Scrub (Utility Swath)				
Forest/Woodland	Allegheny-Cumberland Dry Oak Forest and Woodland				
Forest/Woodland	Allegheny-Cumberland Dry Oak Forest and Woodland - Hardwood Modifier				
Forest/Woodland	Appalachian Hemlock-Hardwood Forest				
Forest/Woodland	Atlantic Coastal Plain Central Maritime Forest				
Forest/Woodland	Atlantic Coastal Plain Dry and Dry-Mesic Oak Forest				
Forest/Woodland	Atlantic Coastal Plain Mesic Hardwood and Mixed Forest				
Forest/Woodland	Atlantic Coastal Plain Northern Maritime Forest				
Forest/Woodland	Atlantic Coastal Plain Northern Mixed Oak-Heath Forest				
Forest/Woodland	Central and Southern Appalachian Montane Oak Forest				
Forest/Woodland	Central and Southern Appalachian Northern Hardwood Forest				
Forest/Woodland	Central Appalachian Oak and Pine Forest				
Forest/Woodland	East Gulf Coastal Plain Interior Shortleaf Pine-Oak Forest - Hardwood Modifier				
Forest/Woodland	East Gulf Coastal Plain Interior Shortleaf Pine-Oak Forest - Mixed Modifier				
Forest/Woodland	East Gulf Coastal Plain Interior Upland Longleaf Pine Woodland - Offsite Hardwood Modifier				
Forest/Woodland	East Gulf Coastal Plain Limestone Forest				
Forest/Woodland	East Gulf Coastal Plain Maritime Forest				
Forest/Woodland	East Gulf Coastal Plain Northern Dry Upland Hardwood Forest				
Forest/Woodland	East Gulf Coastal Plain Northern Loess Bluff Forest				
Forest/Woodland	East Gulf Coastal Plain Northern Loess Plain Oak-Hickory Upland - Hardwood Modifier				
Forest/Woodland	East Gulf Coastal Plain Northern Mesic Hardwood Forest				
Forest/Woodland	Northeastern Interior Dry Oak Forest - Mixed Modifier				
Forest/Woodland	Northeastern Interior Dry Oak Forest-Hardwood Modifier				
Forest/Woodland	South-Central Interior Mesophytic Forest				
Forest/Woodland	Southern and Central Appalachian Cove Forest				
Forest/Woodland	Southern and Central Appalachian Oak Forest				
Forest/Woodland	Southern and Central Appalachian Oak Forest - Xeric				
Forest/Woodland	Southern Appalachian Montane Pine Forest and Woodland				
Forest/Woodland	Southern Interior Low Plateau Dry-Mesic Oak Forest				

aGATR Page 3 of 5

Forest/Woodland Southern Piedmont Dry Oak-(Pine) Forest - Hardwood Modifier
Forest/Woodland Southern Piedmont Dry Oak-(Pine) Forest - Mixed Modifier
Forest/Woodland Southern Piedmont Dry Oak-Heath Forest - Hardwood Modifier
Forest/Woodland Southern Piedmont Dry Oak-Heath Forest - Mixed Modifier

Forest/Woodland Southern Piedmont Dry Oak-Heath Forest - Virginia/Pitch Pine Modifier

Forest/Woodland Southern Piedmont Mesic Forest

Forest/Woodland Southern Ridge and Valley Dry Calcareous Forest

Forest/Woodland Southern Ridge and Valley Dry Calcareous Forest - Hardwood Modifier

Water Open Water (Fresh)

Wetlands Atlantic Coastal Plain Blackwater Stream Floodplain Forest - Forest Modifier

Wetlands Atlantic Coastal Plain Blackwater Stream Floodplain Forest - Herbaceous Modifier

Wetlands Atlantic Coastal Plain Brownwater Stream Floodplain Forest
Wetlands Atlantic Coastal Plain Clay-Based Carolina Bay Forested Wetland
Wetlands Atlantic Coastal Plain Clay-Based Carolina Bay Herbaceous Wetland

Wetlands Atlantic Coastal Plain Depression Pondshore
Wetlands Atlantic Coastal Plain Large Natural Lakeshore

Wetlands Atlantic Coastal Plain Nonriverine Swamp and Wet Hardwood Forest - Taxodium/Nyssa Modifier
Wetlands Atlantic Coastal Plain Nonriverine Swamp and Wet Hardwood Forest - Oak Dominated Modifier

Wetlands Atlantic Coastal Plain Northern Basin Peat Swamp

Wetlands Atlantic Coastal Plain Northern Basin Swamp and Wet Hardwood Forest

Wetlands Atlantic Coastal Plain Northern Pondshore

Wetlands Atlantic Coastal Plain Northern Wet Longleaf Pine Savanna and Flatwoods

Wetlands Atlantic Coastal Plain Peatland Pocosin

Wetlands Atlantic Coastal Plain Small Blackwater River Floodplain Forest
Wetlands Atlantic Coastal Plain Small Brownwater River Floodplain Forest
Wetlands Atlantic Coastal Plain Southern Wet Pine Savanna and Flatwoods
Wetlands Atlantic Coastal Plain Streamhead Seepage Swamp, Pocosin, and Baygall

Wetlands Central Appalachian Floodplain - Forest Modifier
Wetlands Central Appalachian Floodplain - Herbaceous Modifier

Wetlands Central Appalachian Riparian - Forest Modifier
Wetlands Central Appalachian Riparian - Herbaceous Modifier

Wetlands Central Interior Highlands and Appalachian Sinkhole and Depression Pond

Wetlands Cumberland Riverscour

Wetlands East Gulf Coastal Plain Interior Shrub Bog

Wetlands East Gulf Coastal Plain Jackson Plain Dry Flatwoods - Open Understory Modifier

Wetlands East Gulf Coastal Plain Jackson Plain Dry Flatwoods - Scrub/Shrub Understory Modifier

Wetlands East Gulf Coastal Plain Large River Floodplain Forest - Forest Modifier

Wetlands East Gulf Coastal Plain Large River Floodplain Forest - Herbaceous Modifier

Wetlands East Gulf Coastal Plain Near-Coast Pine Flatwoods - Scrub/Shrub Understory Modifier

Wetlands East Gulf Coastal Plain Northern Depression Pondshore
Wetlands East Gulf Coastal Plain Northern Seepage Swamp

Wetlands East Gulf Coastal Plain Small Stream and River Floodplain Forest

Wetlands East Gulf Coastal Plain Southern Depression Pondshore
Wetlands East Gulf Coastal Plain Southern Loblolly-Hardwood Flatwoods
Wetlands East Gulf Coastal Plain Treeless Savanna and Wet Prairie

Wetlands Floridian Highlands Freshwater Marsh

Wetlands Lower Mississippi River Bottomland and Floodplain Forest
Wetlands Lower Mississippi River Bottomland Depressions - Forest Modifier
Wetlands Lower Mississippi River Bottomland Depressions - Herbaceous Modifier

Wetlands Mississippi River Low Floodplain (Bottomland) Forest

Wetlands Mississippi River Riparian Forest

Wetlands North-Central Appalachian Acidic Swamp
Wetlands North-Central Appalachian Seepage Fen

Wetlands North-Central Interior and Appalachian Rich Swamp

Wetlands South-Central Interior Large Floodplain - Forest Modifier

Wetlands South-Central Interior Large Floodplain - Herbaceous Modifier

aGATR

Page 4 of 5

Wetlands	South-Central Interior Small Stream and Riparian
Wetlands	South-Central Interior/Upper Coastal Plain Wet Flatwoods
Wetlands	Southern and Central Appalachian Bog and Fen
Wetlands	Southern Appalachian Seepage Wetland
Wetlands	Southern Coastal Plain Herbaceous Seepage Bog
Wetlands	Southern Piedmont Large Floodplain Forest - Forest Modifier
Wetlands	Southern Piedmont Large Floodplain Forest - Herbaceous Modifier
Wetlands	Southern Piedmont Seepage Wetland
Wetlands	Southern Piedmont Small Floodplain and Riparian Forest
Wetlands	Southern Piedmont/Ridge and Valley Upland Depression Swamp
Wetlands	Western Highland Rim Seepage Fen

CITATIONS:

DeGraaf, R. M., and D. D. Rudis. 1983. Amphibians and reptiles of New England. Habitats and natural history. Univ. Massachusetts Press. vii +

Gerhardt, H. C., et al. 1994. Hybridization in the diploid-tetraploid treefrogs HYLA CHRYSOSCELIS and HYLA VERSICOLOR. Copeia 1994:51-

Jaslow, Alan P. and Richard C. Vogt. 1977. Identification and distribution of Hyla versicolor and Hyla chrysoscelis in Wisconsin. Herpetologica 33(2):201-205.

Karns, D. R. 1992. Effects of acidic bog habitats on amphibian reproduction in a northern Minnesota peatland. J. Herpetol. 26:401-

Little, M. A., B. L. Monroe, Jr., and J. E. Wiley. 1989. The distribution of the HYLA VERSICOLOR complex in the northern Appalachian highlands. J. Herpetol. 23:299-303.

Martof, B. S., W. M. Palmer, J. R. Bailey, and J. R. Harrison, III. 1980. Amphibians and reptiles of the Carolinas and Virginia. University of North Carolina Press, Chapel Hill, North Carolina. 264 pp.

Matson, T. O. 1990. Erythrocyte size as a taxonomic character in the identification of Ohio HYLA CHRYSOSCELIS and H. VERSICOLOR. Herpetologica 46:457-462.

McAlpine, D. F., et al. 1991. Distribution and habitat of the tetraploid gray treefrog, HYLA VERSICOLOR, in New Brunswick and eastern Maine. Can. Field-Nat. 105:526-529.

Ralin, D. B., M. A. Romano, and C. W. Kilpatrick. 1983. The tetraploid treefrog HYLA VERSICOLOR: evidence for a single origin from the diploid H. CHRYSOSCELIS. Herpetologica 39:212-225.

Smith, P. W. 1961. The amphibians and reptiles of Illinois. Illinois Natural History Survey 28:1-298.

Vogt, R. G. 1981. Natural history of amphibians and reptiles of Wisconsin. Milwaukee Public Museum. 205

Wilson, L. A. 1995. The Land Manager's Guide to the amphibians and reptiles of the South. Chapel Hill, NC: The Nature Conservancy.

For more information:: SE-GAP Analysis Project / BaSIC

127 David Clark Labs Dept. of Biology, NCSU Raleigh, NC 27695-7617 (919) 513-2853

www.basic.ncsu.edu/segap

Compiled: 15 September 2011

This data was compiled and/or developed by the Southeast GAP Analysis Project at The Biodiversity and Spatial Information Center, North Carolina State University

aGATR Page 5 of 5