



SOUTHEAST GAP ANALYSIS PROJECT



Species Modeling Report

Green Heron

Butorides virescens


Taxa: Avian
 Order: Ciconiiformes
 Family: Ardeidae

SE-GAP Spp Code: **bGRHE**


ITIS Species Code: 174793

NatureServe Element Code: ABNGA08010

KNOWN RANGE:



PREDICTED HABITAT:



Range Map Link: http://www.basic.ncsu.edu/segap/datazip/maps/SE_Range_bGRHE.pdf

Predicted Habitat Map Link: http://www.basic.ncsu.edu/segap/datazip/maps/SE_Dist_bGRHE.pdf

GAP Online Tool Link: <http://www.gapservice.ncsu.edu/segap/segap/index2.php?species=bGRHE>

Data Download: http://www.basic.ncsu.edu/segap/datazip/region/vert/bGRHE_se00.zip

PROTECTION STATUS:

Reported on March 14, 2011

Federal Status: ---

State Status: ID (P), KY (N), NJ (S/S), NV (YES), NY (PB), RI (Not Listed), UT (None), UT (None), WA (M), WA (M), BC (3 (2005)), BC (3 (2005)), QC (Non suivie)

NS Global Rank: G5

NS State Rank: AK (SNA), AL (S5B), AR (S3B), AZ (S4), CA (S4), CO (S3B), CO (S3B), CT (S5B), CT (S5B), DC (S3S4B,S3S4N), DE (S4B), FL (SNR), GA (S5), HI (SNA), IA (S3B), ID (SNA), IL (S5), IN (S4B), IN (S4B), KS (S4B), KY (S4S5B), LA (S3N,S5B), MA (S4B,S5M), MD (S5B), ME (S3S4B), MI (S5), MN (SNRB), MO (SNRB), MS (S5B), MS (S5B), MT (SNA), NC (S5B), NC (S5B), ND (S3), NE (S4), NH (S5B), NJ (S4B), NM (S4B,S4N), NV (S4B), NY (S5), OH (S5), OK (S2B), OR (S4), PA (S5B), RI (S5B,S5N), SC (SNRB,SNRN), SD (S2S3B), SD (S2S3B), TN (S4), TX (S5B), UT (SHB), UT (SHB), VA (S5), VT (S4B,S4N), WA (S3B), WA (S3B), WI (S4B), WI (S4B), WV (S4B), WY (S3N), AB (SNA), BC (S3S4B), BC (S3S4B), LB (SNA), MB (S1B), NB (S2B), NF (SNA), NS (SNA), ON (S4B), PE (SNA), QC (S4B), SK (SNA)

SUMMARY OF PREDICTED HABITAT BY MANAGMENT AND GAP PROTECTION STATUS:

	US FWS		US Forest Service		Tenn. Valley Author.		US DOD/ACOE	
	ha	%	ha	%	ha	%	ha	%
Status 1	134,525.3	< 1	5,920.8	< 1	0.0	0	0.0	0
Status 2	192,827.0	1	28,112.7	< 1	0.0	0	1,754.8	< 1
Status 3	1,899.3	< 1	278,260.7	2	9,376.5	< 1	135,415.7	< 1
Status 4	31.5	< 1	0.0	0	0.0	0	50.0	< 1
Total	329,283.0	2	312,294.2	2	9,376.5	< 1	137,220.5	< 1
	US Dept. of Energy		US Nat. Park Service		NOAA		Other Federal Lands	
	ha	%	ha	%	ha	%	ha	%
Status 1	0.0	0	367,159.2	3	953.3	< 1	7,834.0	< 1
Status 2	0.0	0	25,807.9	< 1	39,727.9	< 1	25.9	< 1
Status 3	16,777.9	< 1	243,046.2	2	0.0	0	1,346.1	< 1
Status 4	0.0	0	1.0	< 1	0.0	0	0.0	0
Total	16,777.9	< 1	636,015.2	5	40,681.2	< 1	9,206.0	< 1
	Native Am. Reserv.		State Park/Hist. Park		State WMA/Gameland		State Forest	
	ha	%	ha	%	ha	%	ha	%
Status 1	0.0	0	167.4	< 1	1.4	< 1	0.0	0
Status 2	0.0	0	1,289.9	< 1	635,430.2	5	38.3	< 1
Status 3	2,969.1	< 1	367,820.3	3	108,026.6	< 1	99,895.9	< 1
Status 4	0.0	0	< 0.1	< 1	10,196.3	< 1	5.4	< 1
Total	2,969.1	< 1	369,277.7	3	753,654.5	5	99,939.6	< 1
	State Coastal Reserve		ST Nat.Area/Preserve		Other State Lands		Private Cons. Easemt.	
	ha	%	ha	%	ha	%	ha	%
Status 1	0.0	0	2,251.3	< 1	0.0	0	0.0	0
Status 2	35,669.8	< 1	58,478.0	< 1	2.5	< 1	1,114.7	< 1
Status 3	0.0	0	12,607.2	< 1	6,341.2	< 1	57,173.6	< 1
Status 4	0.0	0	0.0	0	890.5	< 1	0.0	0
Total	35,669.8	< 1	73,336.4	< 1	7,234.2	< 1	58,288.3	< 1
	Private Land - No Res.		Water		Overall Total			
	ha	%	ha	%	ha	%	ha	%
Status 1	0.0	< 1	0.0	0	518,812.8 4			
Status 2	0.8	< 1	0.0	6	1,020,280.4 7			
Status 3	581.3	< 1	< 0.1	< 1	1,341,537.6 12			
Status 4	10,542,849.4	76	70,701.7	< 1	10,634,891.4 77			
Total	10,543,431.7	76	70,701.8	< 1	13,515,522.2 100			

GAP Status 1: An area having permanent protection from conversion of natural land cover and a mandated management plan in operation to maintain a natural state within which disturbance events (of natural type, frequency, and intensity) are allowed to proceed without interference or are mimicked through management.

GAP Status 2: An area having permanent protection from conversion of natural land cover and a mandated management plan in operation to maintain a primarily natural state, but which may receive use or management practices that degrade the quality of existing natural communities.

GAP Status 3: An area having permanent protection from conversion of natural land cover for the majority of the area, but subject to extractive uses of either a broad, low-intensity type or localized intense type. It also confers protection to federally listed endangered and threatened species throughout the area.

GAP Status 4: Lack of irrevocable easement or mandate to prevent conversion of natural habitat types to anthropogenic habitat types. Allows for intensive use throughout the tract. Also includes those tracts for which the existence of such restrictions or sufficient information to establish a higher status is unknown.

PREDICTED HABITAT MODEL(S):

Summer Model:

Habitat Description: Typically a bird of swampy thickets in brackish, fresh or salt water (Meyerriecks 1962). Nests in forest and swamp patches near water (Davis and Kushlan 1994). Feeds in swamps, riparian zones along creeks and streams, also marshes, ditches, canals, ponds, lake edges, sloughs, mangrove swamps; clearly preferring thick vegetation (Brown et al. 1982, Kaiser and Fritzell 1984, Clarke et al. 1984, Bryant 1914). In salt marshes, tends to hug creek banks; avoids open flats frequented by longer-legged herons (Davis and Kushlan 1994). M. Rubino, 20dec04.

Hydrography Mask:

- Utilizes flowing water features with buffers of 120m from and 30m into selected water features.
- Utilizes open water features with buffers of 120m from and 30m into selected water features.
- Utilizes wet vegetation features with buffer of unlimited into selected vegetation features.

Selected Map Units:

Functional Group	Map Unit Name
Anthropogenic	Developed Open Space
Brackish Tidal Marsh & Wetland	Atlantic Coastal Plain Central Salt and Brackish Tidal Marsh
Brackish Tidal Marsh & Wetland	Atlantic Coastal Plain Embayed Region Tidal Salt and Brackish Marsh
Brackish Tidal Marsh & Wetland	Atlantic Coastal Plain Indian River Lagoon Tidal Marsh
Brackish Tidal Marsh & Wetland	Atlantic Coastal Plain Northern Sea-Level Fen
Brackish Tidal Marsh & Wetland	Atlantic Coastal Plain Northern Tidal Salt Marsh
Brackish Tidal Marsh & Wetland	Atlantic Coastal Plain Northern Tidal Wooded Swamp
Brackish Tidal Marsh & Wetland	Atlantic Coastal Plain Southern Tidal Wooded Swamp
Brackish Tidal Marsh & Wetland	East Gulf Coastal Plain Tidal Wooded Swamp
Brackish Tidal Marsh & Wetland	Florida Big Bend Salt-Brackish Tidal Marsh
Brackish Tidal Marsh & Wetland	Mississippi Sound Salt and Brackish Tidal Marsh
Brackish Tidal Marsh & Wetland	South Florida Everglades Sawgrass Marsh
Brackish Tidal Marsh & Wetland	South Florida Mangrove Swamp
Brackish Tidal Marsh & Wetland	Southwest Florida Perched Barriers Salt Swamp and Lagoon - Mangrove Modifier
Brackish Tidal Marsh & Wetland	Southwest Florida Perched Barriers Salt Swamp and Lagoon - Marsh Modifier
Freshwater Tidal Marsh & Wetland	Atlantic Coastal Plain Central Fresh-Oligohaline Tidal Marsh
Freshwater Tidal Marsh & Wetland	Atlantic Coastal Plain Embayed Region Tidal Freshwater Marsh
Freshwater Tidal Marsh & Wetland	Atlantic Coastal Plain Northern Fresh and Oligohaline Tidal Marsh
Freshwater Tidal Marsh & Wetland	Florida Big Bend Fresh-Oligohaline Tidal Marsh
Water	Open Water (Aquaculture)
Water	Open Water (Brackish/Salt)
Water	Open Water (Fresh)
Wetlands	Atlantic Coastal Plain Blackwater Stream Floodplain Forest - Forest Modifier
Wetlands	Atlantic Coastal Plain Brownwater Stream Floodplain Forest
Wetlands	Atlantic Coastal Plain Clay-Based Carolina Bay Forested Wetland
Wetlands	Atlantic Coastal Plain Depression Pondshore
Wetlands	Atlantic Coastal Plain Large Natural Lakeshore
Wetlands	Atlantic Coastal Plain Nonriverine Swamp and Wet Hardwood Forest - Taxodium/Nyssa Modifier
Wetlands	Atlantic Coastal Plain Nonriverine Swamp and Wet Hardwood Forest - Oak Dominated Modifier
Wetlands	Atlantic Coastal Plain Northern Basin Peat Swamp
Wetlands	Atlantic Coastal Plain Northern Basin Swamp and Wet Hardwood Forest
Wetlands	Atlantic Coastal Plain Northern Pondshore
Wetlands	Atlantic Coastal Plain Peatland Pocosin
Wetlands	Atlantic Coastal Plain Small Blackwater River Floodplain Forest
Wetlands	Atlantic Coastal Plain Small Brownwater River Floodplain Forest
Wetlands	Atlantic Coastal Plain Streamhead Seepage Swamp, Pocosin, and Baygall
Wetlands	Atlantic Coastal Plain Xeric River Dune
Wetlands	Central Appalachian Floodplain - Forest Modifier
Wetlands	Central Appalachian Riparian - Forest Modifier
Wetlands	Central Florida Herbaceous Pondshore

Wetlands	Central Interior Highlands and Appalachian Sinkhole and Depression Pond
Wetlands	Cumberland Riverscour
Wetlands	East Gulf Coastal Plain Large River Floodplain Forest - Forest Modifier
Wetlands	East Gulf Coastal Plain Northern Depression Pondshore
Wetlands	East Gulf Coastal Plain Northern Seepage Swamp
Wetlands	East Gulf Coastal Plain Small Stream and River Floodplain Forest
Wetlands	East Gulf Coastal Plain Southern Depression Pondshore
Wetlands	Floridian Highlands Freshwater Marsh
Wetlands	Lower Mississippi River Bottomland and Floodplain Forest
Wetlands	Lower Mississippi River Bottomland Depressions - Forest Modifier
Wetlands	Mississippi River Low Floodplain (Bottomland) Forest
Wetlands	Mississippi River Riparian Forest
Wetlands	North-Central Appalachian Acidic Swamp
Wetlands	North-Central Interior and Appalachian Rich Swamp
Wetlands	South Florida Bayhead Swamp
Wetlands	South Florida Cypress Dome
Wetlands	South Florida Freshwater Slough and Gator Hole
Wetlands	South Florida Pond-Apple/Popash Slough
Wetlands	South Florida Willow Head
Wetlands	South-Central Interior Large Floodplain - Forest Modifier
Wetlands	South-Central Interior Small Stream and Riparian
Wetlands	Southern and Central Appalachian Bog and Fen
Wetlands	Southern Appalachian Seepage Wetland
Wetlands	Southern Coastal Plain Blackwater River Floodplain Forest
Wetlands	Southern Coastal Plain Nonriverine Basin Swamp
Wetlands	Southern Coastal Plain Nonriverine Cypress Dome
Wetlands	Southern Coastal Plain Seepage Swamp and Baygall
Wetlands	Southern Coastal Plain Spring-run Stream Aquatic Vegetation
Wetlands	Southern Piedmont Large Floodplain Forest - Forest Modifier
Wetlands	Southern Piedmont Seepage Wetland
Wetlands	Southern Piedmont Small Floodplain and Riparian Forest
Wetlands	Southern Piedmont/Ridge and Valley Upland Depression Swamp
Wetlands	Unconsolidated Shore (Lake/River/Pond)

CITATIONS: Alsop FJ III. 1991. Birds of the Smokies. Gatlinburg: Great Smoky Mountains Natural History Association.

American Ornithologists' Union (AOU), Committee on Classification and Nomenclature. 1983. Check-list of North American Birds. Sixth Edition. American Ornithologists' Union, Allen Press, Inc., Lawrence, Kansas.

American Ornithologists' Union (AOU). 1993. Thirty-ninth supplement to the American Ornithologists' Union Check-list of North American Birds. *Auk* 110(3):675-682.

Brown, L. H., E. K. Urban and K. Newman. 1982. The birds of Africa, vol. I. Academic Press, New York.

Bryant, H. C. 1914. Birds as destroyers of grasshoppers in California. *Auk* 31: 168-177.

Clarke, J. A., B. A. Harrington, T. Hruby, and W. E. Wasserman. 1984. The effect of ditching for mosquito control on saltmarsh use by birds in Rowley, Massachusetts. *Journal of Field Ornithology* 55:160-80.

Davis, Jr., W.E. and J.A. Kushlan. 1994. Green heron (*Butorides virescens*). In A. Poole and F. Gill, eds., *The Birds of North America*, No. 129. The Academy of Natural Sciences, Philadelphia and The American Ornithologists' Union, Washington, DC.

Ehrlich, P.R., D.S. Dobkin, and D. Wheye. 1988. *The birder's handbook: a field guide to the natural history of North American birds*. Simon and Shuster, Inc., New York. xxx + 785 pp.

Fussell, J.O. III. 1994. *A birder's guide to coastal North Carolina*. Chapel Hill and London: The University of North Carolina Press.

Hilty, S.L., and W.L. Brown. 1986. *A guide to the birds of Colombia*. Princeton University Press, Princeton, New Jersey. 836 pp.

Kaiser, M. S. and E. K. Fritzell. 1984. Effects of river recreationists on Green-backed Heron behavior. *J. Wildl. Manage.* 48: 561-567.

Kaufman K. 1996. *Lives of North American Birds*. Boston, New York: Houghton Mifflin Company.

- Meyerrieks, A. J. 1962. Green Heron. Pp. 419–426 in *Handbook of North American birds.*, vol. 1 (R. S. Palmer, ed.). Yale Univ. Press, New Haven, CT.
- Monroe, B. L., and M. R. Browning. 1992. A reanalysis of BUTORIDES. *Bull. Brit. Ornithol. Club* 112:81-85.
- National Geographic Society (NGS). 1983. *Field guide to the birds of North America*. National Geographic Society, Washington, D.C.
- Nicholson CP. 1997. *Atlas of the breeding birds of Tennessee*. Knoxville: University of Tennessee Press.
- Palmer, R. S. (editor). 1962. *Handbook of North American birds*. Vol. 1. Loons through flamingos. Yale University Press, New Haven. 567 pp.
- Payne, R. B. 1974. Species limits and variation of the New World green herons BUTORIDES VIRESCENS and striated herons B. STRIATUS. *Bull. Brit. Ornithol. Club* 94:81-88.
- Payne, R. B., and C. J. Risley. 1976. Systematics and evolutionary relationships among the herons (Ardeidae). *Univ. Michigan Mus. Zool., Misc. Publ. No. 150*. 115 pp.
- Potter, E. F., J. F. Parnell, and R. P. Teulings. 1980. *Birds of the Carolinas*. Univ. North Carolina Press, Chapel Hill. 408 pp.
- Pratt, H.D., P.L. Bruner, and D.G. Berrett. 1987. *A field guide to the birds of Hawaii and the tropical Pacific*. Princeton University Press, Princeton, New Jersey. 409 pp. + 45 plates.
- Raffaele, H.A. 1983. *A guide to the birds of Puerto Rico and the Virgin Islands*. Fondo Educativo Interamericano, San Juan, Puerto Rico. 255 pp.
- Root, T. 1988. *Atlas of wintering North American birds: An analysis of Christmas Bird Count data*. University of Chicago Press. 336 pp.
- Stiles, F.G., and A.F. Skutch. 1989. *A guide to the birds of Costa Rica*. Comstock Publ. Associates, Cornell University Press, Ithaca, New York. 511 pp.
- Terres, J.K. 1980. *The Audubon Society encyclopedia of North American birds*. Alfred A. Knopf, New York.

For more information:: SE-GAP Analysis Project / BaSIC
127 David Clark Labs
Dept. of Biology, NCSU
Raleigh, NC 27695-7617
(919) 513-2853
www.basic.ncsu.edu/segap

Compiled: 15 September 2011

This data was compiled and/or developed by the Southeast GAP Analysis Project at The Biodiversity and Spatial Information Center, North Carolina State University.