



SOUTHEAST GAP ANALYSIS PROJECT



Species Modeling Report


White-tailed Deer

Odocoileus virginianus


Taxa: Mammalian
Order: Artiodactyla
Family: Cervidae

SE-GAP Spp Code: **mWHDE**
ITIS Species Code: 180699
NatureServe Element Code: AMALC02020

KNOWN RANGE:



PREDICTED HABITAT:



Range Map Link: http://www.basic.ncsu.edu/segap/datazip/maps/SE_Range_mWHDE.pdf

Predicted Habitat Map Link: http://www.basic.ncsu.edu/segap/datazip/maps/SE_Dist_mWHDE.pdf

GAP Online Tool Link: <http://www.gapservice.ncsu.edu/segap/segap/index2.php?species=mWHDE>

Data Download: http://www.basic.ncsu.edu/segap/datazip/region/vert/mWHDE_se00.zip

PROTECTION STATUS:

Reported on March 14, 2011

Federal Status: ---

State Status: AL (GA), ID (G), KY (N), NY (GS), RI (Not Listed), UT (None), WA (E-Part), BC (4 (2005)), QC (Non suivie)

NS Global Rank: G5

NS State Rank: AL (S5), AR (S5), AZ (S5), CO (S5), CT (S5), DC (S5), DE (S5), FL (S5), GA (S5), IA (S5), ID (S5), IL (S5), IN (S5), KS (S5), KY (S5), LA (S5), MA (S5), MD (S5), ME (S5), MI (S5), MN (SNR), MO (S5), MS (S5), MT (S5), NC (S5), ND (SNR), NE (S5), NH (S5), NJ (S5), NM (S4), NY (S5), OH (SNR), OK (S5), OR (SNR), PA (S5), RI (S5), SC (S5), SD (S5), TN (S5), TX (S5), UT (S1), VA (S5), VT (S5), WA (S5), WI (S5), WV (S5), WY (S5), AB (S5), BC (S5), LB (SNR), MB (S5), NB (S5), NS (S5), ON (S5), PE (SNA), QC (S5), SK (S5), YT (S2S3)

SUMMARY OF PREDICTED HABITAT BY MANAGMENT AND GAP PROTECTION STATUS:

	US FWS		US Forest Service		Tenn. Valley Author.		US DOD/ACOE	
	ha	%	ha	%	ha	%	ha	%
Status 1	71,195.9	< 1	7,522.5	< 1	0.0	0	0.0	0
Status 2	106,110.7	< 1	92,349.2	< 1	0.0	0	3,081.2	< 1
Status 3	1,874.4	< 1	956,558.6	2	57,497.9	< 1	506,175.0	< 1
Status 4	89.0	< 1	0.0	0	0.0	0	52.1	< 1
Total	179,270.1	< 1	1,056,430.3	2	57,497.9	< 1	509,308.4	< 1
	US Dept. of Energy		US Nat. Park Service		NOAA		Other Federal Lands	
	ha	%	ha	%	ha	%	ha	%
Status 1	0.0	0	49,211.7	< 1	73.6	< 1	12,138.5	< 1
Status 2	0.0	0	11,310.3	< 1	7,908.7	< 1	39.0	< 1
Status 3	54,756.6	< 1	190,177.1	< 1	0.0	0	3,457.7	< 1
Status 4	0.0	0	0.0	< 1	0.0	0	0.0	0
Total	54,756.6	< 1	250,700.1	< 1	7,982.3	< 1	15,635.2	< 1
	Native Am. Reserv.		State Park/Hist. Park		State WMA/Gameland		State Forest	
	ha	%	ha	%	ha	%	ha	%
Status 1	0.0	0	750.7	< 1	32.7	< 1	0.0	0
Status 2	0.0	0	3,925.3	< 1	379,931.1	< 1	258.4	< 1
Status 3	11,120.2	< 1	367,938.4	< 1	123,124.5	< 1	294,088.7	< 1
Status 4	0.0	0	< 0.1	< 1	62,873.1	< 1	42.3	< 1
Total	11,120.2	< 1	372,614.4	< 1	565,961.4	< 1	294,389.4	< 1
	State Coastal Reserve		ST Nat.Area/Preserve		Other State Lands		Private Cons. Easemt.	
	ha	%	ha	%	ha	%	ha	%
Status 1	0.0	0	4,706.3	< 1	0.0	0	0.0	0
Status 2	7,477.9	< 1	38,954.6	< 1	5.7	< 1	2,633.8	< 1
Status 3	0.0	0	14,864.4	< 1	25,572.8	< 1	93,956.0	< 1
Status 4	0.0	0	0.0	0	3,083.8	< 1	< 0.1	< 1
Total	7,477.9	< 1	58,525.3	< 1	28,662.2	< 1	96,589.8	< 1
	Private Land - No Res.		Water		Overall Total			
	ha	%	ha	%	ha	%		
Status 1	0.0	0	0.0	0	145,631.9	< 1		
Status 2	0.0	0	0.0	3	653,986.0	1		
Status 3	802.4	< 1	0.0	0	2,701,964.7	6		
Status 4	52,818,871.1	92	49,170.5	< 1	52,996,967.1	92		
Total	52,819,673.5	92	49,170.7	< 1	56,498,549.7	100		

GAP Status 1: An area having permanent protection from conversion of natural land cover and a mandated management plan in operation to maintain a natural state within which disturbance events (of natural type, frequency, and intensity) are allowed to proceed without interference or are mimicked through management.

GAP Status 2: An area having permanent protection from conversion of natural land cover and a mandated management plan in operation to maintain a primarily natural state, but which may receive use or management practices that degrade the quality of existing natural communities.

GAP Status 3: An area having permanent protection from conversion of natural land cover for the majority of the area, but subject to extractive uses of either a broad, low-intensity type or localized intense type. It also confers protection to federally listed endangered and threatened species throughout the area.

GAP Status 4: Lack of irrevocable easement or mandate to prevent conversion of natural habitat types to anthropogenic habitat types. Allows for intensive use throughout the tract. Also includes those tracts for which the existence of such restrictions or sufficient information to establish a higher status is unknown.

PREDICTED HABITAT MODEL(S):

Year-round Model:

Habitat Description: The white-tailed deer occurs in a variety of habitats, but thrives in early mixed successional stages, the more mixed the better. It is also found in open glades, swamps, and thickets on the coastal islands of the South Atlantic states, in the dense Florida hammocks, and even on the Florida Keys (Whitaker and Hamilton 1998). M. Rubino, 21jan05.

Mask of Forest/Open Ecotone: Include within 125m of ecotone edge.

Selected Map Units:

Functional Group	Map Unit Name
Anthropogenic	Deciduous Plantations
Anthropogenic	Developed Open Space
Anthropogenic	Evergreen Plantations
Anthropogenic	Low Intensity Developed
Anthropogenic	Pasture/Hay
Anthropogenic	Row Crop
Anthropogenic	Successional Grassland/Herbaceous
Anthropogenic	Successional Grassland/Herbaceous (Other)
Anthropogenic	Successional Grassland/Herbaceous (Utility Swath)
Anthropogenic	Successional Shrub/Scrub (Clear Cut)
Anthropogenic	Successional Shrub/Scrub (Other)
Anthropogenic	Successional Shrub/Scrub (Utility Swath)
Coastal Dune & Freshwater Wetland	Atlantic Coastal Plain Northern Dune and Maritime Grassland
Coastal Dune & Freshwater Wetland	Atlantic Coastal Plain Southern Dune and Maritime Grassland
Coastal Dune & Freshwater Wetland	East Gulf Coastal Plain Dune and Coastal Grassland
Coastal Dune & Freshwater Wetland	Southwest Florida Dune and Coastal Grassland
Forest/Woodland	Alabama Ketona Glade and Woodland
Forest/Woodland	Allegheny-Cumberland Dry Oak Forest and Woodland
Forest/Woodland	Allegheny-Cumberland Dry Oak Forest and Woodland - Hardwood Modifier
Forest/Woodland	Allegheny-Cumberland Dry Oak Forest and Woodland - Pine Modifier
Forest/Woodland	Appalachian Hemlock-Hardwood Forest
Forest/Woodland	Appalachian Serpentine Woodland
Forest/Woodland	Appalachian Shale Barrens
Forest/Woodland	Atlantic Coastal Plain Central Maritime Forest
Forest/Woodland	Atlantic Coastal Plain Dry and Dry-Mesic Oak Forest
Forest/Woodland	Atlantic Coastal Plain Fall-Line Sandhills Longleaf Pine Woodland - Loblolly Modifier
Forest/Woodland	Atlantic Coastal Plain Fall-line Sandhills Longleaf Pine Woodland - Offsite Hardwood Modifier
Forest/Woodland	Atlantic Coastal Plain Fall-line Sandhills Longleaf Pine Woodland - Open Understory Modifier
Forest/Woodland	Atlantic Coastal Plain Fall-line Sandhills Longleaf Pine Woodland - Scrub/Shrub Understory Modifier
Forest/Woodland	Atlantic Coastal Plain Mesic Hardwood and Mixed Forest
Forest/Woodland	Atlantic Coastal Plain Northern Maritime Forest
Forest/Woodland	Atlantic Coastal Plain Northern Mixed Oak-Heath Forest
Forest/Woodland	Atlantic Coastal Plain Southern Maritime Forest
Forest/Woodland	Atlantic Coastal Plain Upland Longleaf Pine Woodland
Forest/Woodland	Central and Southern Appalachian Montane Oak Forest
Forest/Woodland	Central and Southern Appalachian Northern Hardwood Forest
Forest/Woodland	Central and Southern Appalachian Spruce-Fir Forest
Forest/Woodland	Central Appalachian Alkaline Glade and Woodland
Forest/Woodland	Central Appalachian Oak and Pine Forest
Forest/Woodland	Central Appalachian Pine-Oak Rocky Woodland
Forest/Woodland	Central Interior Highlands Calcareous Glade and Barrens
Forest/Woodland	Central Interior Highlands Dry Acidic Glade and Barrens
Forest/Woodland	Cumberland Sandstone Glade and Barrens
Forest/Woodland	East Gulf Coastal Plain Black Belt Calcareous Prairie and Woodland - Woodland Modifier

Forest/Woodland	East Gulf Coastal Plain Interior Shortleaf Pine-Oak Forest - Hardwood Modifier
Forest/Woodland	East Gulf Coastal Plain Interior Shortleaf Pine-Oak Forest - Mixed Modifier
Forest/Woodland	East Gulf Coastal Plain Interior Shortleaf Pine-Oak Forest - Pine Modifier
Forest/Woodland	East Gulf Coastal Plain Interior Upland Longleaf Pine Woodland - Loblolly Modifier
Forest/Woodland	East Gulf Coastal Plain Interior Upland Longleaf Pine Woodland - Offsite Hardwood Modifier
Forest/Woodland	East Gulf Coastal Plain Interior Upland Longleaf Pine Woodland - Open Understory Modifier
Forest/Woodland	East Gulf Coastal Plain Interior Upland Longleaf Pine Woodland - Scrub/Shrub Modifier
Forest/Woodland	East Gulf Coastal Plain Limestone Forest
Forest/Woodland	East Gulf Coastal Plain Maritime Forest
Forest/Woodland	East Gulf Coastal Plain Northern Dry Upland Hardwood Forest
Forest/Woodland	East Gulf Coastal Plain Northern Dry Upland Hardwood Forest - Offsite Pine Modifier
Forest/Woodland	East Gulf Coastal Plain Northern Loess Bluff Forest
Forest/Woodland	East Gulf Coastal Plain Northern Loess Plain Oak-Hickory Upland - Hardwood Modifier
Forest/Woodland	East Gulf Coastal Plain Northern Loess Plain Oak-Hickory Upland - Juniper Modifier
Forest/Woodland	East Gulf Coastal Plain Northern Mesic Hardwood Forest
Forest/Woodland	East Gulf Coastal Plain Southern Loess Bluff Forest
Forest/Woodland	East Gulf Coastal Plain Southern Mesic Slope Forest
Forest/Woodland	Florida Longleaf Pine Sandhill - Open Understory Modifier
Forest/Woodland	Florida Longleaf Pine Sandhill - Scrub/Shrub Understory Modifier
Forest/Woodland	Florida Peninsula Inland Scrub
Forest/Woodland	Mississippi Delta Maritime Forest
Forest/Woodland	Nashville Basin Limestone Glade
Forest/Woodland	Northeastern Interior Dry Oak Forest - Mixed Modifier
Forest/Woodland	Northeastern Interior Dry Oak Forest - Virginia/Pitch Pine Modifier
Forest/Woodland	Northeastern Interior Dry Oak Forest-Hardwood Modifier
Forest/Woodland	Northern Atlantic Coastal Plain Dry Hardwood Forest
Forest/Woodland	Ridge and Valley Calcareous Valley Bottom Glade and Woodland
Forest/Woodland	South Florida Pine Rockland
Forest/Woodland	South-Central Interior Mesophytic Forest
Forest/Woodland	Southeast Florida Coastal Strand and Maritime Hammock
Forest/Woodland	Southeastern Interior Longleaf Pine Woodland
Forest/Woodland	Southern and Central Appalachian Cove Forest
Forest/Woodland	Southern and Central Appalachian Mafic Glade and Barrens
Forest/Woodland	Southern and Central Appalachian Oak Forest
Forest/Woodland	Southern and Central Appalachian Oak Forest - Xeric
Forest/Woodland	Southern Appalachian Low Mountain Pine Forest
Forest/Woodland	Southern Appalachian Montane Pine Forest and Woodland
Forest/Woodland	Southern Coastal Plain Dry Upland Hardwood Forest
Forest/Woodland	Southern Coastal Plain Oak Dome and Hammock
Forest/Woodland	Southern Interior Low Plateau Dry-Mesic Oak Forest
Forest/Woodland	Southern Interior Low Plateau Dry-Mesic Oak Forest - Evergreen Modifier
Forest/Woodland	Southern Piedmont Dry Oak-(Pine) Forest - Hardwood Modifier
Forest/Woodland	Southern Piedmont Dry Oak-(Pine) Forest - Loblolly Pine Modifier
Forest/Woodland	Southern Piedmont Dry Oak-(Pine) Forest - Mixed Modifier
Forest/Woodland	Southern Piedmont Dry Oak-Heath Forest - Hardwood Modifier
Forest/Woodland	Southern Piedmont Dry Oak-Heath Forest - Mixed Modifier
Forest/Woodland	Southern Piedmont Dry Oak-Heath Forest - Virginia/Pitch Pine Modifier
Forest/Woodland	Southern Piedmont Glade and Barrens
Forest/Woodland	Southern Piedmont Mafic Hardpan Woodland
Forest/Woodland	Southern Piedmont Mesic Forest
Forest/Woodland	Southern Piedmont Northern Triassic Basin Dry Forest
Forest/Woodland	Southern Ridge and Valley Dry Calcareous Forest
Forest/Woodland	Southern Ridge and Valley Dry Calcareous Forest - Hardwood Modifier
Forest/Woodland	Southern Ridge and Valley Dry Calcareous Forest - Pine Modifier
Forest/Woodland	Southwest Florida Coastal Strand and Maritime Hammock
Prairie	Bluegrass Basin Savanna and Woodland

Prairie	East Gulf Coastal Plain Black Belt Calcareous Prairie and Woodland
Prairie	East Gulf Coastal Plain Black Belt Calcareous Prairie and Woodland - Herbaceous Modifier
Prairie	East Gulf Coastal Plain Jackson Plain Prairie and Barrens
Prairie	East Gulf Coastal Plain Jackson Prairie and Woodland
Prairie	Eastern Highland Rim Prairie and Barrens
Prairie	Eastern Highland Rim Prairie and Barrens - Dry Modifier
Prairie	Florida Dry Prairie
Prairie	Panhandle Florida Limestone Glade
Prairie	Pennyroyal Karst Plain Prairie and Barrens
Prairie	Southern Ridge and Valley Patch Prairie
Prairie	Western Highland Rim Prairie and Barrens
Wetlands	Atlantic Coastal Plain Blackwater Stream Floodplain Forest - Forest Modifier
Wetlands	Atlantic Coastal Plain Blackwater Stream Floodplain Forest - Herbaceous Modifier
Wetlands	Atlantic Coastal Plain Brownwater Stream Floodplain Forest
Wetlands	Atlantic Coastal Plain Clay-Based Carolina Bay Forested Wetland
Wetlands	Atlantic Coastal Plain Clay-Based Carolina Bay Herbaceous Wetland
Wetlands	Atlantic Coastal Plain Nonriverine Swamp and Wet Hardwood Forest - Taxodium/Nyssa Modifier
Wetlands	Atlantic Coastal Plain Nonriverine Swamp and Wet Hardwood Forest - Oak Dominated Modifier
Wetlands	Atlantic Coastal Plain Northern Basin Peat Swamp
Wetlands	Atlantic Coastal Plain Northern Basin Swamp and Wet Hardwood Forest
Wetlands	Atlantic Coastal Plain Northern Wet Longleaf Pine Savanna and Flatwoods
Wetlands	Atlantic Coastal Plain Peatland Pocosin
Wetlands	Atlantic Coastal Plain Sandhill Seep
Wetlands	Atlantic Coastal Plain Small Blackwater River Floodplain Forest
Wetlands	Atlantic Coastal Plain Small Brownwater River Floodplain Forest
Wetlands	Atlantic Coastal Plain Southern Wet Pine Savanna and Flatwoods
Wetlands	Atlantic Coastal Plain Streamhead Seepage Swamp, Pocosin, and Baygall
Wetlands	Central Appalachian Floodplain - Forest Modifier
Wetlands	Central Appalachian Floodplain - Herbaceous Modifier
Wetlands	Central Appalachian Riparian - Forest Modifier
Wetlands	Central Appalachian Riparian - Herbaceous Modifier
Wetlands	Central Florida Herbaceous Seep
Wetlands	Central Florida Pine Flatwoods
Wetlands	Central Interior Highlands and Appalachian Sinkhole and Depression Pond
Wetlands	East Gulf Coastal Plain Interior Shrub Bog
Wetlands	East Gulf Coastal Plain Jackson Plain Dry Flatwoods - Open Understory Modifier
Wetlands	East Gulf Coastal Plain Jackson Plain Dry Flatwoods - Scrub/Shrub Understory Modifier
Wetlands	East Gulf Coastal Plain Large River Floodplain Forest - Forest Modifier
Wetlands	East Gulf Coastal Plain Large River Floodplain Forest - Herbaceous Modifier
Wetlands	East Gulf Coastal Plain Near-Coast Pine Flatwoods - Offsite Hardwood Modifier
Wetlands	East Gulf Coastal Plain Near-Coast Pine Flatwoods - Open Understory Modifier
Wetlands	East Gulf Coastal Plain Near-Coast Pine Flatwoods - Scrub/Shrub Understory Modifier
Wetlands	East Gulf Coastal Plain Northern Seepage Swamp
Wetlands	East Gulf Coastal Plain Small Stream and River Floodplain Forest
Wetlands	East Gulf Coastal Plain Southern Loblolly-Hardwood Flatwoods
Wetlands	East Gulf Coastal Plain Treeless Savanna and Wet Prairie
Wetlands	Floridian Highlands Freshwater Marsh
Wetlands	Lower Mississippi River Bottomland and Floodplain Forest
Wetlands	Lower Mississippi River Bottomland Depressions - Forest Modifier
Wetlands	Lower Mississippi River Bottomland Depressions - Herbaceous Modifier
Wetlands	Mississippi River Low Floodplain (Bottomland) Forest
Wetlands	Mississippi River Riparian Forest
Wetlands	North-Central Appalachian Acidic Swamp
Wetlands	North-Central Appalachian Seepage Fen
Wetlands	North-Central Interior and Appalachian Rich Swamp
Wetlands	South Florida Bayhead Swamp

Wetlands	South Florida Cypress Dome
Wetlands	South Florida Dwarf Cypress Savanna
Wetlands	South Florida Freshwater Slough and Gator Hole
Wetlands	South Florida Hardwood Hammock
Wetlands	South Florida Pine Flatwoods
Wetlands	South Florida Pond-Apple/Popash Slough
Wetlands	South Florida Willow Head
Wetlands	South-Central Interior Large Floodplain - Forest Modifier
Wetlands	South-Central Interior Large Floodplain - Herbaceous Modifier
Wetlands	South-Central Interior Small Stream and Riparian
Wetlands	South-Central Interior/Upper Coastal Plain Wet Flatwoods
Wetlands	Southern and Central Appalachian Bog and Fen
Wetlands	Southern Appalachian Seepage Wetland
Wetlands	Southern Coastal Plain Blackwater River Floodplain Forest
Wetlands	Southern Coastal Plain Herbaceous Seepage Bog
Wetlands	Southern Coastal Plain Hydric Hammock
Wetlands	Southern Coastal Plain Nonriverine Basin Swamp
Wetlands	Southern Coastal Plain Nonriverine Cypress Dome
Wetlands	Southern Coastal Plain Seepage Swamp and Baygall
Wetlands	Southern Piedmont Large Floodplain Forest - Forest Modifier
Wetlands	Southern Piedmont Large Floodplain Forest - Herbaceous Modifier
Wetlands	Southern Piedmont Seepage Wetland
Wetlands	Southern Piedmont Small Floodplain and Riparian Forest
Wetlands	Southern Piedmont/Ridge and Valley Upland Depression Swamp
Wetlands	Western Highland Rim Seepage Fen

CITATIONS: Anderson, R. C. 1994. Height of white-flowered trillium (TRILLIUM GRANDIFLORUM) as an index of deer browsing intensity. *Ecological Applications* 4:104-109.

Baker, Rollin H. 1983. Michigan mammals. Michigan State University Press. 642 pp.

Banfield, A.W.F. 1974. The mammals of Canada. University of Toronto Press, Toronto.

Caire, W., J. D. Tyler, B. P. Glass, and M. A. Mares. Z. Marsh (illustrator). 1989. Mammals of Oklahoma. University of Oklahoma Press, Norman. Oklahoma. 567 pp.

Carr, S. M., and G. A. Hughes. 1993. Direction of introgressive hybridization between species of North American deer (ODOCOILEUS) as inferred from mitochondrial-cytochrome-b sequences. *J. Mamm.* 74:331-342.

Causey, M. K., and C. A. Cude. 1980. Feral dog and white-tailed deer interactions in Alabama. *J. Wildl. Manage.* 44:481-484.

Cronin, M. A. 1991. Mitochondrial and nuclear genetic relationships of deer (ODOCOILEUS spp.) in western North America. *Can. J. Zool.* 69:1270-1279.

Cronin, M. A. 1991. Mitochondrial-DNA phylogeny of deer (Cervidae). *J. Mamm.* 72:533-566.

Cronin, M. A., E. R. Vyse, and D. G. Cameron. 1988. Genetic relationships between mule deer and white-tailed deer in Montana. *J. Wildl. Manage.* 52:320-328.

Cronin, M. A., M. E. Nelson, and D. F. Pac. 1991. Spatial heterogeneity of mitochondrial DNA and allozymes among populations of white-tailed deer and mule deer. *J. Heredity* 82:118-127.

Cypher, B. L., and E. A. Cypher. 1988. Ecology and management of white-tailed deer in northeastern coastal habitats; a synthesis of literature pertinent to National Wildlife Refuges.... *US Fish Wildl. Serv. Biol. Rep.* 88(15).

Derr, J. N. 1991. Genetic interactions between white-tailed and mule deer in the southwestern United States. *J. Wildl. Manage.* 55:228-237.

Ellingwood, M. R., and S. L. Caturano. 1988. An evaluation of deer management options. New England Chapter of the Wildlife Society and Northeast Deer Technical Committee. 13 pp.

Ellsworth, D. L., et al. 1994. Historical biogeography and contemporary patterns of mitochondrial DNA variation in white-tailed deer from the southeastern United States. *Evolution* 48:122-136.

Gavin, T. A., and B. May. 1988. Taxonomic status and genetic purity of Columbian white-tailed deer. *J. Wildlife Management* 52:1-10.

Girard, G. T., B. D. Anderson, and T. A. De Laney. 1993. Managing conflicts with animal activists:white-tailed deer and Illinois nature reserves. *Natural Areas Journal* 13:10-17.

- Godin, A.J. 1977. *Wild Mammals of New England*. Johns Hopkins University Press, Baltimore. 304 pp.
- Hall, E. R. 1981. *The Mammals of North America*. Second edition. 2 Volumes. John Wiley and Sons, New York, New York. 1181 p.
- Halls, L. K., editor. 1984. *White-tailed deer:ecology and management*. Stackpole Books, Harrisburg, Pennsylvania. 871 pp.
- Hamilton, William J., Jr., and John O. Whitaker, Jr. 1979. *Mammals of the eastern United States*. Cornell Univ. Press, Ithaca, New York. 346 pp.
- Humphrey, S. R., and B. Bell. 1986. The key deer population is declining. *Wildlife Society Bull.* 14:261-265.
- Hygnstrom, S. E., and S. R. Craven. 1988. Electric fences and commercial repellents for reducing deer damage in cornfields. *Wildl. Soc. Bull.* 16:291-296.
- Jones, J. K., Jr., et al. 1992. Revised checklist of North American mammals north of Mexico, 1991. *Occas. Pap. Mus., Texas Tech Univ.* (146):1-23.
- Jones, J. M., and J. H. Whitham. 1990. Post-translocation survival and movement of metropolitan white-tailed deer. *Wildl. Soc. Bull.* 18:434-441.
- Kraus, F., and M. M. Miyamoto. 1991. Rapid cladogenesis among the pecoran ruminants:evidence from mitochondrial DNA sequences. *Syst. Zool.* 40:117-130.
- Maffei, M. D., W. D. Klimstra, and T. J. Wilmers. 1988. Cranial and mandibular characteristics of the Key deer (*ODOCOILEUS VIRGINIANUS CLAVUM*). *J. Mamm.* 69:403-407.
- Mathews, N. E., and W. F. Porter. 1993. Effect of social structure on genetic structure of free-ranging white-tailed deer in the Adirondack Mountains. *J. Mamm.* 74:33-43.
- McCullough, D. R. 1985. Variables influencing food habits of white-tailed deer on the George Preserve. *J. Mamm.* 66:682-692.
- McCullough, D.R. 1969. Tule elk:its history, behavior, and ecology. *Univ. California Publ. Zool., Berkeley.* 216 pp.
- Mech, L. D., et al. 1987. Relationship of deer and moose populations to previous winters' snow. *J. Anim. Ecol.* 56:615-627.
- Miller, S. G., S. P. Bratton, and J. Hadidian. 1992. Impacts of white-tailed deer on endangered and threatened vascular plants. *Natural Areas Journal* 12:67-74.
- Mitchell, W. A. 1986. Deer spotlight census. Section 6.4.3, US Army Corps of Engineers Wildlife Resources Management Manual. Tech. Rep. EL-86-53. Waterways Expt. Station, Vicksburg, Mississippi.
- Mitchell, W. A. 1986. White-tailed deer track count census. Section 6.4.2, US Army Corps of Engineers Wildlife Resources Management Manual. Tech. Rep. EL-86-52. Waterways Expt. Station, Vicksburg, Mississippi.
- Nelson, M. E. 1993. Natal dispersal and gene flow in white-tailed deer in northeastern Minnesota. *J. Mamm.* 74:316-322.
- Nelson, M. E., and L. D. Mech. 1984. Home-range formation and dispersal of deer in northeastern Minnesota. *J. Mamm.* 65:567-575.
- Nelson, M. E., and L. D. Mech. 1992. Dispersal in female white-tailed deer. *J. Mamm.* 73:891-894.
- Novak, J. M., et al. 1991. Catch-effort estimation of white-tailed deer population size. *J. Wildl. Manage.* 55:31-38.
- Potvin, F., et al. 1992. Evaluation of an experimental wolf reduction and its impact on deer in Papineau-Labelle Reserve, Quebec. *Canadian J. Zoology* 70:1595-1603.
- Rooney, T. P. 1995. Restoring landscape diversity and old growth to Pennsylvania's northern hardwood forests. *Natural Areas Journal* 15:274-278.
- Rue, L. L., III. *The deer of North America*. Updated and expanded edition. Stackpole. 544 pp.
- Rue, L.L. 1962. *World of the white tailed deer*. Phila. 134 pp.
- Schmitz, O. J., and T. D. Nudds. 1994. Parasite-mediated competition in deer and moose:how strong is the effect of meningeal worm on moose? *Ecological Applications* 4:91-103.
- Schwartz, Charles W., and Elizabeth R. Schwartz. 1981. *The wild mammals of Missouri*. University of Missouri Press, Columbia. 356 pp.
- Smith, W. P. 1991. *Odocoileus virginianus*. *Am. Soc. Mamm., Mammalian Species No.* 388:1-13.
- Strole, T. A., and R. C. Anderson. 1992. White-tailed deer browsing:species preferences and implications for central Illinois forests. *Natural Areas Journal* 12:139-144.
- Taylor, W.P. 1956. *The deer of North America*. The white-tailed, mule and black-tailed deer, genus *Odocoileus*, their history & management. Stackpole Co. and Wildl. Mgmt. Inst. 668 pp.

Tilghman, N. G. 1989. Impacts of white-tailed deer on forest regeneration in northwestern Pennsylvania. *J. Wildl. Manage.* 53:524-532.

Wemmer, C. M., editor. 1987. *Biology and management of the Cervidae: proceedings of a symposium*. Smithsonian Inst. Press, Washington, D. C. 1000 pp.

Whitlaw, H. A., and M. W. Lankester. 1994. A retrospective evaluation of the effects of *Parelaphostrongylus* on moose populations. *Can. J. Zool.* 72:1-7.

Whitlaw, H. A., and M. W. Lankester. 1994. The co-occurrence of moose, white-tailed deer, and *PARELAPHOSTRONGYLUS TENUIS* in Ontario. *Can. J. Zool.* 72:819-825.

Williamson, S. J. No date. *Forester's guide to wildlife habitat improvement*. Cooperative Extension Service, Univ. of New Hampshire. 56 pp.

Wilson, D. E., and D. M. Reeder (editors). 1993. *Mammal Species of the World: a Taxonomic and Geographic Reference*. Second Edition. Smithsonian Institution Press, Washington, DC. xviii + 1206 pp.

Wood, P., and M. L. Wolfe. 1988. Intercept feeding as a means of reducing deer-vehicle collisions. *Wildl. Soc. Bull.* 16:376-380.

For more information:: SE-GAP Analysis Project / BaSIC
127 David Clark Labs
Dept. of Biology, NCSU
Raleigh, NC 27695-7617
(919) 513-2853
www.basic.ncsu.edu/segap

Compiled: 15 September 2011

This data was compiled and/or developed
by the Southeast GAP Analysis Project at
The Biodiversity and Spatial Information
Center, North Carolina State University.